



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/578,593	05/08/2006	Philip Thonhauser	085523-0381114	1729

909 7590 09/26/2011  
PILLSBURY WINTHROP SHAW PITTMAN, LLP (NV)  
P.O. BOX 10500  
MCLEAN, VA 22102

EXAMINER
----------

DEO, DUY VU NGUYEN

ART UNIT	PAPER NUMBER
----------	--------------

1713

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

09/26/2011

ELECTRONIC

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

docket\_ip@pillsburylaw.com  
margaret.drosos@pillsburylaw.com

***Correction of Inventorship in an Application***

Correction of Inventorship Under 37 CFR 1.48(a) or (c), Sufficient  
In view of the papers filed 10/20/09, it has been found that this nonprovisional application, as filed, through error and without deceptive intent, improperly set forth the inventorship, and accordingly, this application has been corrected in compliance with 37 CFR 1.48 (c). The inventorship of this application has been changed by addition of Christian Thonhauser as a co-inventor.

The application will be forwarded to the Office of Initial Patent Examination (OIPE) for issuance of a corrected filing receipt, and correction of Office records to reflect the inventorship as corrected.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DUY-VU DEO whose telephone number is (571)272-1462. The examiner can normally be reached on Mon-Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nadine Norton can be reached on 571-272-1465. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1713

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/DUY-VU DEO/  
Primary Examiner, Art Unit 1713

9/20/11